


# 1GP20012289

## 2XP-A-190-D-EUR-B-N-10-0-N19N13


**2XP - A - 190** - D - EUR - B - N - 10 - 0 - N19N13




### Corpo in alluminio

| Tipo               | Cilindrata<br>cm <sup>3</sup> /giro | P1<br>Press. massima<br>continua | P2<br>Press. massima<br>intermittente | P3<br>Press. massima<br>di picco | Velocità di rotazione |            |
|--------------------|-------------------------------------|----------------------------------|---------------------------------------|----------------------------------|-----------------------|------------|
|                    |                                     | bar                              | bar                                   | bar                              | max<br>rpm            | min<br>rpm |
| 2XP/2XM 040        | 4.1                                 | 250                              | 270                                   | 290                              | 4000                  | 500        |
| 2XP/2XM 060        | 6.1                                 | 250                              | 270                                   | 290                              | 4000                  | 500        |
| 2XP/2XM 080        | 8.7                                 | 250                              | 270                                   | 290                              | 3500                  | 500        |
| 2XP/2XM 110        | 11.2                                | 250                              | 270                                   | 290                              | 3500                  | 500        |
| 2XP/2XM 140        | 14.2                                | 250                              | 270                                   | 290                              | 3500                  | 500        |
| 2XP/2XM 160        | 16.8                                | 230                              | 240                                   | 250                              | 3500                  | 500        |
| <b>2XP/2XM 190</b> | <b>19.8</b>                         | <b>210</b>                       | <b>220</b>                            | <b>230</b>                       | <b>3500</b>           | <b>500</b> |
| 2XP/2XM 220        | 22.9                                | 190                              | 200                                   | 210                              | 3000                  | 500        |
| 2XP/2XM 260        | 26.4                                | 170                              | 180                                   | 190                              | 3000                  | 500        |
| 2XP/2XM 290        | 29.1                                | 150                              | 160                                   | 170                              | 2500                  | 500        |
| 2XP/2XM 310        | 31.5                                | 130                              | 140                                   | 150                              | 2500                  | 500        |


**Pompe 2XP**




**2XP 190**



2XP - A - 190 - **D** - EUR - B - N - 10 - O - N19N13





Unidirezionale



2XP - A - 190 - D - **EUR** - B - N - 10 - O - N19N13

Con paraoli: kit flangia standard  
Esempio flangia EUR




2XP - A - 190 - D - EUR - **B** - N - 10 - O - N19N13

Anello tenuta fino a 3 BAR a 1000 giri/min  
(massima pressione sulla bocca di scarico/aspirazione)


2XP-A-190-D-EUR-B-N-10-O-N19N13

Guarnizioni NBR

2XP-A-190-D-EUR-B-N-10-O-N19N13



2XP-A-190-D-EUR-B-N-10-O-N19N13




2XP - A - 190 - D - EUR - B - N - 10 - 0 - **N19N13**

**Flangiatura tipo N (EUROPEA)**



| Bocche laterali - Drenaggio posteriore |            |            |               |             |            |               |
|----------------------------------------|------------|------------|---------------|-------------|------------|---------------|
| Cilindrata                             | 2XP / 2XM  |            |               | 2XPW / 2XMW |            |               |
|                                        | IN         | OUT        | Dren.         | IN          | OUT        | Dren.         |
| 040                                    | N13        | N13        | G14/U6        | -           | -          | -             |
| 060                                    | N13        | N13        | G14/U6        | -           | -          | -             |
| 080                                    | N13        | N13        | G14/U6        | -           | -          | -             |
| 110                                    | N19        | N13        | G14/U6        | N19         | N13        | G14/U6        |
| 140                                    | N19        | N13        | G14/U6        | N19         | N13        | G14/U6        |
| 160                                    | N19        | N13        | G14/U6        | N19         | N13        | G14/U6        |
| <b>190</b>                             | <b>N19</b> | <b>N13</b> | <b>G14/U6</b> | <b>N19</b>  | <b>N13</b> | <b>G14/U6</b> |
| 220                                    | N19        | N13        | G14/U6        | N19         | N13        | G14/U6        |
| 260                                    | N19        | N13        | G14/U6        | N19         | N13        | G14/U6        |
| 290                                    | N19        | N13        | G14/U6        | N19         | N13        | G14/U6        |
| 310                                    | N19        | N13        | G14/U6        | N19         | N13        | G14/U6        |

| Dimensione bocca |       |       |    |    |    |     |
|------------------|-------|-------|----|----|----|-----|
|                  | A (Ø) | B (Ø) | C  | D  | IN | OUT |
|                  | mm    | mm    |    | mm | Nm | Nm  |
| <b>N13</b>       | 13    | 30    | M6 | 15 | 8  | 8   |
| <b>N19</b>       | 19    | 40    | M8 | 15 | 15 | 15  |



## Dimensioni totali

Flangia tipo EUR



| Gruppo<br>2XP | A<br>mm |
|---------------|---------|
| 040           | 92.9    |
| 060           | 96.2    |
| 080           | 100.4   |
| 110           | 104.5   |
| 140           | 109.5   |
| 160           | 113.7   |
| 190           | 118.7   |
| 220           | 123.7   |
| 260           | 129.5   |
| 290           | 133.9   |
| 310           | 137.9   |