


1GP30010448


3GP-G-620-D-SAEB-B-N-14-O-N

3GP - G - 620 - D - SAEB - B - N - 14 - O - N




FLANGIA E COPERCHIO IN GHISA


GRUPPO GROUP 3GP	CILINDRATA DISPLACEMENT		PRESSIONE MAX - MAX PRESSURE						VELOCITÀ MAX MAX SPEED	PORTATA MAX MAX FLOW		VELOCITÀ MIN MIN SPEED
			P1		P2		P3					
	cm³/giro	in³/rev	bar	psi	bar	psi	bar	psi	giri/min - rpm	l/min	Gal/ min	giri/min - rpm
3GP 190	19.3	1.2	250	3625	265	3840	280	4260	3500	67.6	17.84	600
3GP 230	23.0	1.4	250	3625	265	3840	280	4060	3500	80.3	21.22	600
3GP 300	30.2	1.8	240	3480	255	3695	270	3915	3300	99.7	26.33	600
3GP 340	33.8	2.1	240	3480	255	3695	270	3915	3300	111.6	29.49	600
3GP 370	37.5	2.3	230	3335	245	3550	260	3770	3300	123.6	32.66	600
3GP 440	44.6	2.7	220	3190	235	3405	250	3625	3000	133.8	35.35	600
3GP 530	53.0	3.2	210	3045	225	3262	240	3480	3000	159.1	42.04	600
3GP 620	62.7	3.8	190	2755	200	2900	210	3045	2500	156.8	41.41	600
3GP 700	70.5	4.3	180	2610	190	2755	200	2900	2500	176.3	46.58	600
3GP 770	77.2	4.7	170	2465	180	2610	190	2755	2200	169.8	44.84	600



3GP 620




3GP - G - 620 - **D** - SAEB - B - N - 14 - O - N




Rotazione oraria- **D**

Unidirezionale



3GP - G - 620 - **D** - **SAEB** - B - N - 14 - O - N




3GP - G - 620 - D - SAEB - **B** - N - 14 - O - N

Anello tenuta fino a 3 BAR a 1000 giri/min
(massima pressione sulla bocca di scarico/aspirazione)

[illegible]

Dimensioni totali



GRUPPO - GROUP 3	A		B		MASSA - MASS	
	mm	inch	mm	inch	kg	lbs
3GP 190	62.4	2.456	128.3	5.051	7.67	16.91
3GP 230	63.9	2.515	131.3	5.169	7.81	17.21
3GP 300	66.9	2.633	137.3	5.405	8.09	17.82
3GP 340	68.4	2.692	140.3	5.523	8.22	18.12
3GP 370	69.9	2.751	143.3	5.641	8.36	18.43
3GP 440	72.9	2.870	149.3	5.877	8.64	19.04
3GP 530	76.4	3.007	156.3	6.153	8.96	19.75
3GP 620	80.4	3.165	164.3	6.468	9.33	20.56
3GP 700	86.9	3.421	170.8	6.724	9.63	21.22
3GP 770	92.4	3.637	176.3	6.940	9.88	21.77